



Lijiacheng  
Electric

# Under Cabinet Light

modern | high quality





# Under Cabinet Light

- Presents a clean, professional look
- The light is evenly and softly
- No UV or IR light radiation
- UL Listed for damp locations usage
- Energy Star qualify
- Surface Mounted
- Widely application: perfect for your Cabinet, Closet, Bedroom, Kitchen, Bookcase, Bathroom, Hallway, Stair, Basement etc.

# LED Puck Light



**145**

LUMENS



**30K-60K**

CCT



**90**

CRI



**120**

VOLTAGE



**50,000**

LIFETIME



NO UV  
NO IR



DAMP  
LOCATION





EVEN &  
SOFT LIGHT

## Puck Light 20840 & 20846

HT-US-PU101-903-XXS-V#

- Product color: white/black/silver
- 2.7 W
- DOB Solution to lower the cost
- The light is evenly and softly
- No UV or IR light radiation
- UL Listed for damp locations usage
- Energy Star qualify
- Surface Mounted
- Widely application: perfect for your Cabinet, Closet, Bedroom, Kitchen, Bookcase, Bathroom, T13 Hallway, Stair, Basement etc.



# LED Puck Light



**145**  
LUMENS



**30K-60K**  
CCT



**90**  
CRI



**120**  
VOLTAGE



**50,000**  
LIFETIME



NO UV  
NO IR



DAMP  
LOCATION





EVEN &  
SOFT LIGHT

## Puck Light 20840 & 20846

HT-US-PU102-903-XXS-V#

- Product color: white/black/silver
- 4.3 W
- DOB Solution to lower the cost
- The light is evenly and softly
- No UV or IR light radiation
- UL Listed for damp locations usage
- Energy Star qualify
- Surface Mounted
- Widely application: perfect for your Cabinet, Closet, Bedroom, Kitchen ,Bookcase, Bathroom, T13Hallway, Stair, Basement etc.



# LED Undercabinet Light



**Available Sizes:**

- 12"** | 3-6 W | 180-360 lumen | HT-US-CAB101S12-906-XXS-V#
- 16"** | 5-10 W | 300-600 lumen | HT-US-CAB101S16-910-XXS-V#
- 24"** | 7.5-15 W | 450-900 lumen | HT-US-CAB101S24-915-XXS-V#



**180 - 900**  
LUMENS



**30K-60K**  
CCT



**90**  
CRI



**120**  
VOLTAGE



**50,000**  
LIFETIME



NO UV  
NO IR




DAMP  
LOCATION



EVEN &  
SOFT LIGHT

## Under Cabinet Light 20825

- Product color: white/black/silver
- Able to select the wattage 100% or 50%
- Built-in connector, no extra end to end connector needed
- The light is evenly and softly
- No UV or IR light radiation
- UL Listed for damp locations usage
- Energy Star qualify
- Surface Mounted
- Widely application: perfect for your Cabinet, Closet, Bedroom, Kitchen, Bookcase, Bathroom, Hallway, Stair, Basement etc.



# LED Undercabinet Light



**330 - 825**  
LUMENS



**30K-60K**  
CCT



**90**  
CRI



**120**  
VOLTAGE



**50,000**  
LIFETIME



NO UV  
NO IR




DAMP  
LOCATION



EVEN &  
SOFT LIGHT

## Under Cabinet Light 20826

- Product color: white/black/silver
- Built-in movement sensor switch
- High power, high brightness
- The light is evenly and softly
- No UV or IR light radiation
- UL Listed for damp locations usage
- Energy Star qualify
- Surface Mounted
- Widely application: perfect for your Cabinet, Closet, Bedroom, Kitchen, Bookcase, Bathroom, Hallway, Stair, Basement etc.



### Available Sizes:

- 12"** | 6 W | 330 lumen | HT-US-CAB302S12-906-XXS-V#
- 16"** | 10 W | 550 lumen | HT-US-CAB302S16-910-XXS-V#
- 24"** | 15 W | 450 - 825 lumen | HT-US-CAB302S24-915-XXS-V#



# LED Undercabinet Light



*Available Sizes:*

<b>12"</b>	6 W	400 lumen	HT-US-CAB303S12-906-XXS-V#
<b>16"</b>	10 W	670 lumen	HT-US-CAB303S16-910-XXS-V#
<b>24"</b>	15 W	1000 lumen	HT-US-CAB101S24-915-XXS-V#
<b>32"</b>	20 W	1350 lumen	HT-US-CAB303S32-920-XXS-V#



**400 - 1350**  
LUMENS



**30K-60K**  
CCT



**90**  
CRI



**120**  
VOLTAGE



**50,000**  
LIFETIME



NO UV  
NO IR





DAMP  
LOCATION



EVEN &  
SOFT LIGHT

## Under Cabinet Light 20828

- Color temperature: 30/40/60 Selectable
- Product color: white/black/silver
- Presents a clean, professional look
- The light is evenly and softly
- No UV or IR light radiation
- UL Listed for damp locations usage
- Energy Star qualify
- Surface Mounted
- Widely application: perfect for your, Cabinet, Closet, Bedroom, Kitchen, Bookcase, Bathroom, Hallway, Stair, Basement etc.





# LED Undercabinet Light



**400 -1350**  
LUMENS



**30K-60K**  
CCT



**90**  
CRI



**120**  
VOLTAGE



**50,000**  
LIFETIME



NO UV  
NO IR





DAMP  
LOCATION



EVEN &  
SOFT LIGHT

## Under Cabinet Light 20844

- Product color: white/black/silver
- Linkable design for multiple units
- High power, high brightness
- The light is evenly and softly
- No UV or IR light radiation
- UL Listed for damp locations usage
- Energy Star qualify
- Surface Mounted
- Widely application: perfect for your Cabinet, Closet, Bedroom, Kitchen, Bookcase, Bathroom, Hallway, Stair, Basement etc.



### Available Sizes:

- 12"** | 6 W | 400 lumen | HT-US-CAB104S12-906-XXSS-ZV#
- 16"** | 10 W | 670 lumen | HT-US-CAB104S16-910-XXSS-ZV#
- 24"** | 15 W | 1000 lumen | HT-US-CAB104S24-915-XXSS-ZV#
- 32"** | 20 W | 1350 lumen | HT-US-CAB104S32-920-XXSS-ZV#



# LED Adjustable Undercabinet Light



**Available Sizes:**

<b>12"</b>	6 W	400 lumen	HT-US-CAB305S12-906-XXS-V1
<b>16"</b>	10 W	670 lumen	HT-US-CAB305S16-910-XXS-V1
<b>24"</b>	15 W	1000 lumen	HT-US-CAB305S24-915-XXS-V1
<b>32"</b>	20 W	1350 lumen	HT-US-CAB305S32-920-XXS-V1



**400 - 1350**  
LUMENS



**30K-60K**  
CCT



**90**  
CRI



**120**  
VOLTAGE



**50,000**  
LIFETIME



NO UV  
NO IR




DAMP  
LOCATION



EVEN &  
SOFT LIGHT

## Under Cabinet Light 20847

- Product color: white/black/silver
- Lighting direction adjustable
- High power, high brightness
- The light is evenly and softly
- No UV or IR light radiation
- UL Listed for damp locations usage
- Energy Star qualify
- Surface Mounted
- Widely application: perfect for your Cabinet, Closet, Bedroom, Kitchen, Bookcase, Bathroom, Hallway, Stair, Basement etc.



# LED Undercabinet Light



**250 - 1450**  
LUMENS



**30K-60K**  
CCT



**90**  
CRI



**120**  
VOLTAGE



**50,000**  
LIFETIME



NO UV  
NO IR



DAMP  
LOCATION




EVEN &  
SOFT LIGHT

## AC Under Cabinet Light

- High power, high brightness
- The light is evenly and softly
- No UV or IR light radiation
- UL Listed for damp locations usage
- Energy Star and Title24 qualify
- Surface Mounted
- Widely application: perfect for your Cabinet, Closet, Bedroom, Kitchen, Bookcase, Bathroom, Hallway, Stair, Basement etc.

### Available Sizes:

- 12"** | 5 W | 250 lumen | HT-US-CAB107S08-94.5-XXS-V#
- 16"** | 10 W | 600 lumen | HT-US-CAB107S16-910-XXS-V#
- 24"** | 15 W | 900 lumen | HT-US-CAB107S24-915-XXS-V#
- 32"** | 20 W | 1200 lumen | HT-US-CAB107S32-920-XXS-V#
- 40"** | 25 W | 1450 lumen | HT-US-CAB107S340-925-XXS-V#



# LED Undercabinet Light



### Available Sizes:

8"	3 W	175 lumen	HT-US-CAB109S08-903-XXS-V#
12"	4 W	250 lumen	HT-US-CAB109S12-904-XXS-V#
18"	6 W	375 lumen	HT-US-CAB109S18-906-XXS-V#
24"	8 W	475 lumen	HT-US-CAB109S24-908-XXS-V#
32"	11 W	475 lumen	HT-US-CAB109S32-911-XXS-V#
40"	14 W	475 lumen	HT-US-CAB109S40-914-XXS-V#



**175 - 475**  
LUMENS



**30K-50K**  
CCT



**90**  
CRI



**120**  
VOLTAGE



**50,000**  
LIFETIME



NO UV  
NO IR




DAMP  
LOCATION



EVEN &  
SOFT LIGHT

## New driver Under Cabinet Light

- Color temperature: 3000K, 4000K, 5000K
- ETL certificated
- High power, high brightness
- The light is evenly and softly
- No UV or IR light radiation
- ETL Listed for damp locations usage
- Surface Mounted
- Widely application: perfect for your Cabinet, Closet, Bedroom, Kitchen, Bookcase, Bathroom, Hallway, Stair, Basement etc.



# LED Undercabinet Light with 5CCT selectable option



**340 - 910**  
LUMENS



**5CCT**  
CCT



**90**  
CRI



**120**  
VOLTAGE



**50,000**  
LIFETIME



NO UV  
NO IR




DAMP  
LOCATION



EVEN &  
SOFT LIGHT

## New Driver 5CCT Under Cabinet Light

- Color temperature: 27/30/35/40/50K
- ETL certificated
- High power, high brightness
- The light is evenly and softly
- 5CCT selectable
- No UV or IR light radiation
- ETL Listed for damp locations usage
- Surface Mounted
- Widely application: perfect for your Cabinet, Closet, Bedroom, Kitchen, Bookcase, Bathroom, Hallway, Stair, Basement etc.



### Available Sizes:

<b>8"</b>	6.5 W	340 lumen	HT-US-CAB509S08-96.5-XXS-V#
<b>16"</b>	11 W	690 lumen	HT-US-CAB509S16-911-XXS-V#
<b>24"</b>	14.7 W	810 lumen	HT-US-CAB509S24-914.7-XXS-V#
<b>32"</b>	16.8 W	910 lumen	HT-US-CAB509S32-916.8-XXS-V#



**5CCT**  
27K·30K·35K·40K·50K



# Under Cabinet Light



# Under Cabinet Light Series



HT-US-PU101-903-XXS-V# | 2.7 W | 145 lumen



HT-US-PU102-903-XXS-V# | 4.8 W | 145 lumen



12" | 3-6 W | 180-360 lumen | HT-US-CAB101S12-906-XXS-V#  
 16" | 5-10 W | 300-600 lumen | HT-US-CAB101S16-910-XXS-V#  
 24" | 7.5-15 W | 450-900 lumen | HT-US-CAB101S24-915-XXS-V#




12" | 6 W | 330 lumen | HT-US-CAB302S12-906-XXS-V#  
 16" | 10 W | 550 lumen | HT-US-CAB302S16-910-XXS-V#  
 24" | 15 W | 4450 - 825 lumen | HT-US-CAB302S24-915-XXS-V#



12" | 6 W | 400 lumen | HT-US-CAB303S12-906-XXS-V#  
 16" | 10 W | 670 lumen | HT-US-CAB303S16-910-XXS-V#  
 24" | 15 W | 1000 lumen | HT-US-CAB101S24-915-XXS-V#  
 32" | 20 W | 1350 lumen | HT-US-CAB303S32-920-XXS-V#



12" | 6 W | 400 lumen | HT-US-CAB104S12-906-XXSS-ZV#  
 16" | 10 W | 670 lumen | HT-US-CAB104S16-910-XXSS-ZV#  
 24" | 15 W | 1000 lumen | HT-US-CAB104S24-915-XXSS-ZV#  
 32" | 20 W | 1350 lumen | HT-US-CAB104S32-920-XXSS-ZV#



12" | 6 W | 400 lumen | HT-US-CAB305S12-906-XXS-V1  
 16" | 10 W | 670 lumen | HT-US-CAB305S16-910-XXS-V1  
 24" | 15 W | 1000 lumen | HT-US-CAB305S24-915-XXS-V1  
 32" | 20 W | 1350 lumen | HT-US-CAB305S32-920-XXS-V1



12" | 5 W | 250 lumen | HT-US-CAB107S08-94.5-XXS-V#  
 16" | 10 W | 600 lumen | HT-US-CAB107S16-910-XXS-V#  
 24" | 15 W | 900 lumen | HT-US-CAB107S24-915-XXS-V#  
 32" | 20 W | 1200 lumen | HT-US-CAB107S32-920-XXS-V#  
 40" | 25 W | 1450 lumen | HT-US-CAB107S340-925-XXS-V#



8" | 3 W | 175 lumen | HT-US-CAB109S08-903-XXS-V#  
 12" | 4 W | 250 lumen | HT-US-CAB109S12-904-XXS-V#  
 18" | 6 W | 375 lumen | HT-US-CAB109S18-906-XXS-V#  
 24" | 8 W | 475 lumen | HT-US-CAB109S24-908-XXS-V#  
 32" | 11 W | 475 lumen | HT-US-CAB109S32-911-XXS-V#  
 32" | 14 W | 475 lumen | HT-US-CAB109S40-914-XXS-V#



8" | 6.5 W | 340 lumen | HT-US-CAB509S08-96.5-XXS-V#  
 16" | 11 W | 690 lumen | HT-US-CAB509S16-911-XXS-V#  
 24" | 14.7 W | 810 lumen | HT-US-CAB509S24-914.7-XXS-V#  
 32" | 8 W | 910 lumen | HT-US-CAB509S32-916.8-XXS-V#

**5CCT**  
 27K-30K-35K-40K-50K

[www.ljclight.cn](http://www.ljclight.cn)

Hangzhou Lijiacheng Electric Co.,Ltd.

address: Gaohong Industrial Park, Lin'an District, Hangzhou, China, 311307

Fax: +86-571-6110 5663

E-mail: [Chris@ljclight.com](mailto:Chris@ljclight.com)